

MAT 275 Laboratory 2

Matrix Computations and Programming in MATLAB

In this laboratory session we will learn how to

1. Create and manipulate matrices and vectors.
2. Write simple programs in MATLAB

NOTE: For your lab write-up, follow the instructions of LAB1.

Matrices and Linear Algebra

★ Matrices can be constructed in MATLAB in different ways. For example the 3×3 matrix

$A = \begin{bmatrix} 8 & 1 & 6 \\ 3 & 5 & 7 \\ 4 & 9 & 2 \end{bmatrix}$ can be entered as

```
>> A=[8,1,6;3,5,7;4,9,2]
A =
     8     1     6
     3     5     7
     4     9     2
```

or

```
>> A=[8,1,6;
3,5,7;
4,9,2]
A =
     8     1     6
     3     5     7
     4     9     2
```

or defined as the concatenation of 3 rows

```
>> row1=[8,1,6]; row2=[3,5,7]; row3=[4,9,2]; A=[row1;row2;row3]
A =
     8     1     6
     3     5     7
     4     9     2
```

or 3 columns

```
>> col1=[8;3;4]; col2=[1;5;9]; col3=[6;7;2]; A=[col1,col2,col3]
A =
     8     1     6
     3     5     7
     4     9     2
```

Note the use of `,` and `;`. Concatenated rows/columns must have the same length. Larger matrices can be created from smaller ones in the same way:

```
>> C=[A,A] % Same as C=[A A]
C =
     8     1     6     8     1     6
     3     5     7     3     5     7
     4     9     2     4     9     2
```

The matrix C has dimension 3×6 ("3 by 6"). On the other hand smaller matrices (submatrices) can be extracted from any given matrix:

```
>> A(2,3) % coefficient of A in 2nd row, 3rd column
ans =
     7
>> A(1,:) % 1st row of A
ans =
     8     1     6
>> A(:,3) % 3rd column of A
ans =
     6
     7
     2
>> A([1,3],[2,3]) % keep coefficients in rows 1 & 3 and columns 2 & 3
ans =
     1     6
     9     2
```

★ Some matrices are already predefined in MATLAB:

```
>> I=eye(3) % the Identity matrix
I =
     1     0     0
     0     1     0
     0     0     1
>> magic(3)
ans =
     8     1     6
     3     5     7
     4     9     2
```

(what is magic about this matrix?)

★ Matrices can be manipulated very easily in MATLAB (unlike MAPLE). Here are sample commands to exercise with:

```
>> A=magic(3);
>> B=A' % transpose of A, i.e, rows of B are columns of A
B =
     8     3     4
     1     5     9
     6     7     2
>> A+B % sum of A and B
ans =
    16     4    10
     4    10    16
    10    16     4
>> A*B % standard linear algebra matrix multiplication
ans =
    101    71    53
```

```

    71    83    71
    53    71   101
>> A.*B    % coefficient-wise multiplication
ans =
    64     3    24
     3    25    63
    24    63     4

```

★ One MATLAB command is especially relevant when studying the solution of linear systems of differential equations: $x=A\backslash b$ determines the solution $x = A^{-1}b$ of the linear system $Ax = b$. Here is an example:

```

>> A=magic(3);
>> z=[1,2,3]'    % same as z=[1;2;3]
z =
     1
     2
     3
>> b=A*z
b =
    28
    34
    28
>> x = A\b    % solve the system Ax = b. Compare with the exact solution, z, defined above.
x =
     1
     2
     3
>> y =inv(A)*b % solve the system using the inverse: less efficient and accurate
ans =
    1.0000
    2.0000
    3.0000

```

Now let's check for accuracy by evaluating the difference $z - x$ and $z - y$. In exact arithmetic they should both be zero since x , y and z all represent the solution to the system.

```

>> z - x    % error for backslash command
ans =
     0
     0
     0
>> z - y    % error for inverse
ans =
    1.0e-015 *
   -0.4441
     0
   -0.8882

```

Note the multiplicative factor 10^{-15} in the last computation. MATLAB performs all operations using standard IEEE double precision.

Important!: Because of the finite precision of computer arithmetic and roundoff error, vectors or matrices that are zero (theoretically) may appear in MATLAB in exponential form such as $1.0e-15 M$ where M is a vector or matrix with entries between -1 and 1 . This means that each component of the

answer is less than 10^{-15} in absolute value, so the vector or matrix can be treated as zero (numerically) in comparison to vectors or matrices that are on the order of 1 in size.

EXERCISE 1

Enter the following matrices and vectors in MATLAB

$$A = \begin{bmatrix} 1 & 4 & 2 \\ 2 & 5 & 8 \\ 3 & 6 & 9 \end{bmatrix}, \quad B = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix}, \quad \mathbf{b} = \begin{bmatrix} 4 \\ 23 \\ 27 \end{bmatrix}, \quad \mathbf{c} = [4 \ 3 \ 2], \quad \mathbf{d} = \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$$

- Perform the following operations: AB , BA , $\mathbf{c}B$ and $A\mathbf{d}$ (use standard linear algebra multiplication).
- Construct a 3×6 matrix $C = [A \ B]$ and a 4×3 matrix $D = \begin{bmatrix} B \\ \mathbf{c} \end{bmatrix}$.
- Use the “backslash” command to solve the system $Ax = \mathbf{b}$.
- Replace $A(2,3)$ with 0.
- Extract the 3rd row of the matrix A .
- A row or a column of a matrix can be deleted by assigning the empty vector `[]` to the row or the column. For instance `A(2,:)=[]` deletes the second row of the matrix A .
Delete the third row of the matrix B .

MATLAB Programming

It is often advantageous to be able to execute a segment of a code a number of times. A segment of a code that is executed repeatedly is called a *loop*.

To understand how loops work, it is important to recognize the difference between an algebraic equality and a MATLAB assignment. Consider the following commands:

```
>> counter = 2
counter =
     2
>> counter = counter + 1
counter =
     3
```

The last statement does **not** say that `counter` is one more than itself. When MATLAB encounters the second statement, it looks up the present value of `counter` (2), evaluates the expression `counter + 1` (3), and stores the result of the computation in the variable on the left, here `counter`. The effect of the statement is to increment the variable `counter` by 1, from 2 to 3.

Similarly, consider the commands:

```
>> v=[1,2,3]
v =
     1     2     3
>> v=[v,4]
v =
     1     2     3     4
```

When MATLAB encounters the second statement, it looks up the present value of `v`, adds the number 4 as entry of the vector, and stores the result in the variable on the left, here `v`. The effect of the statement is to augment the vector `v` with the entry 4.

There are two types of loops in MATLAB: `for` loops and `while` loops

for loops

When we know exactly how many times to execute the loop, the `for` loop is often a good implementation choice. One form of the command is as follows:

```
for k=kmin:kmax
    <list of commands>
end
```

The loop index or loop variable is `k`, and `k` takes on integer values from the loop's initial value, `kmin`, through its terminal value, `kmax`. For each value of `k`, MATLAB executes the body of the loop, which is the list of commands.

Here are a few examples:

- Determine the sum of the squares of integers from 1 to 10: $1^2 + 2^2 + 3^2 + \dots + 10^2$.

```
S = 0; % initialize running sum
for k = 1:10
    S = S+k^2;
end
S
```

Because we are not printing intermediate values of `S`, we display the final value of `S` after the loop by typing `S` on a line by itself. Try removing the “;” inside the loop to see how `S` is incremented every time we go through the loop.

- Determine the product of the integers from 1 to 10: $1 \cdot 2 \cdot 3 \cdot \dots \cdot 10$.

```
p = 1; % initialize running product
for k = 2:10
    p = p*k;
end
p
```

★ Whenever possible all these construct should be avoided and built in MATLAB functions used instead to improve efficiency. In particular lengthy loops introduce a substantial overhead.

The value of `S` in the example above can be evaluated with a single MATLAB statement:

```
>> S = sum((1:10).^2)
```

Type `help sum` to see how the built in `sum` function works.

Similarly the product `p` can be evaluated using

```
>> p = prod(1:10)
```

Type `help prod` to see how the built in `prod` function works.

EXERCISE 2

Recall that a geometric sum is a sum of the form $a + ar + ar^2 + ar^3 + \dots$

- Write a *function* file that accepts the values of r , a and n as arguments and uses a `for` loop to return the sum of the first n terms of the geometric series. Test your function for $a = 3$, $r = 1/2$ and $n = 10$.
- Write a *function* file that accepts the values of r , a and n as arguments and uses the built in command `sum` to find the sum of the first n terms of the geometric series. Test your function for $a = 3$, $r = 1/2$ and $n = 10$.

Hint: Start by defining the vector `e=0:n-1` and then evaluate the vector `R = r.^e`. It should be easy to figure out how to find the sum from there.

EXERCISE 3

The counter in a `for` or `while` loop can be given explicit increment: `for i =m:k:n` to advance the counter `i` by `k` each time. In this problem we will evaluate the product of the first 10 odd numbers $1 \cdot 3 \cdot 5 \cdot \dots \cdot 19$ in two ways:

- Write a *script* file that evaluates the product of the first 10 odd numbers using a `for` loop.
- Evaluate the product of the first 10 odd numbers using a single MATLAB command. Use the MATLAB command `prod`.

while loop

The `while` loop repeats a sequence of commands as long as some condition is met. The basic structure of a `while` loop is the following:

```
while <condition>
    <list of commands>
end
```

Here are some examples:

- Determine the sum of the inverses of squares of integers from 1 until the inverse of the integer square is less than 10^{-10} : $\frac{1}{1^2} + \frac{1}{2^2} + \dots + \frac{1}{k^2}$ while $\frac{1}{k^2} \geq 10^{-10}$.

```
S = 0; % initialize running sum
k = 1; % initialize current integer
incr = 1; % initialize test value
while incr >= 1e-10
    S = S + incr;
    k = k + 1;
    incr = 1/k^2;
end
```

What is the value of S returned by this script? Compare to $\sum_{k=1}^{\infty} \frac{1}{k^2} = \frac{\pi^2}{6}$.

- Create a row vector `y` that contains all the factorials below 2000: `y = [1!, 2!, 3!, ... k!]` while `k! < 2000`.

```
y = []; % initialize the vector y to the empty vector
k = 1; % initialize the counter
value = 1; % initialize the test value to be added to the vector y
while value < 2000
    y = [y, value]; % augment the vector y
    k = k + 1; % update the counter
    value = factorial(k); % evaluate the next test value
end
y
```

EXERCISE 4

Write a *script* file that creates a row vector `v` containing all the powers of 2 below 1000. The output vector should have the form: `v = [2, 4, 8, 16 ...]`. Use a `while` loop.

if statement

The basic structure of an if statement is the following:

```
if condition
    <list of commands>
elseif condition
    <list of commands>
:
else
    <list of commands>
end
```

Here is an example:

- Evaluate

$$y = \begin{cases} x^3 + 2, & x \leq 1 \\ \frac{1}{x-2}, & x > 1 \end{cases}$$

for a given (but unknown) scalar x and, if $x = 2$, display “y is undefined at x = 2”.

```
function y=f(x)
if x==2
    disp('y is undefined at x = 2')
elseif x <= 1
    y=x^3+2;
else
    y=1/(x-2);
end
end
```

We can test the file by evaluating it at different values of x . Below we evaluate the function at $x = -1$, $x = 2$ and $x = 4$.

```
>> f(-1)
ans =
    1
>> f(2)
y is undefined at x = 2
>> f(4)
ans =
    0.5000
```

EXERCISE 5

Write a *function* file that creates the following piecewise function:

$$f(x) = \begin{cases} x^2 + 1, & x \leq 3 \\ e^x, & 3 < x \leq 5 \\ \frac{x}{x-10}, & x > 5 \end{cases}$$

Assume x is a scalar. The function file should contain an if statement to distinguish between the different cases. The function should also display “the function is undefined at x = 10” if the input is $x = 10$. Test your function by evaluating $f(1)$, $f(4)$, $f(7)$ and $f(10)$.